

MACH VI-VII

HIGH PERFORMANCE MICROFICHE SCANNERS

FROM THE FIRST NAME IN MICROFILM SCANNING

LEADING THE INDUSTRY

In 1989, **Mekel Technology** introduced the first microfilm scanner to the world, followed closely by its first microfiche scanner. Today, the Mekel **MACH-series microfiche scanners** are the most advanced fiche scanning systems on the market.

- Handles various microfiche and jacket formats
- Offers advanced image quality capture at high speeds from even the most difficult film
- Widely-recognized as the most automated, reliable and easiest-to-use fiche scanners in the industry

VERSATILITY AND SUPERIOR IMAGE QUALITY

COM. Jackets. Step and Repeat. Using the latest in Mekel's CCD, lens and "smoothlight" fiber optic technology, the **MACH** fiche scanners demonstrate an ability to seamlessly convert any format of microfiche to various electronic image formats. Providing the highest optical dpi in the industry, Crowley microfiche scanners deliver clear and consistent image quality while automatically regulating density variations common to many microfiche. Image processing features include:

- Automatic crop
- Automatic rotation
- Automatic invert
- Automatic mirror
- Automatic deskew
- Software focus

HIGH SPEED

In addition to providing high-quality images, the **MACH VII** fiche scanner is designed to operate at speeds of up to 200 images per minute. The **MACH VI** fiche scanner, a mid-range unit, achieves up to 100 images per minute. **Both pieces can create bi-tonal and grayscale images simultaneously without impacting speed.**

EASY TO USE SOFTWARE CREATES ADDED VALUE

FastFiche, the **Mekel Technology** microfiche workflow system, eliminates the software learning curve. The simple-to-use sliders, preview screens and flexibility often reserved for more sophisticated applications ensure full-bore scanning within hours of installation and training.

FastFiche HIGHLIGHTS

- Easy-access tabs allow for quick job set-up without the need for elaborate and confusing wizards
- Advanced menus for detailed image enhancement features
- Dual-view capability to view bi-tonal and grayscale images simultaneously without impacting speed
- Image quality control and re-scan window that allows for real-time image enhancement
- Flexible and simple to use file-naming capability

NEW FOR 2010

Quantu Process

A break-through in fiche scanning, **Mekel Technology's QuantumProcess*** workflow software triples scanning productivity and guarantees 100% image capture. Post-capture features include:

- Batch Processing
- Strip Zoom Capability
- Editing Toolkit
- Fixed-grid Frame Replication
- Blip Removal
- Irregular Frame Flag
- Custom Processing
- Multiple Output Options
- Easy Workflow Integration
- Image Enhancement
- File-naming Features
- Auto-split and Book Modes
- "Go To" Command
- Re-detect Frames

* Field-upgrades available for existing units



EQUIPMENT FEATURES

Camera/Optics	<ul style="list-style-type: none"> 12-bit dynamic range with gamma correction grayscale output. Full depth of pixels processed Advanced adaptive Automatic Gain Control (AGC). Handles varying film density in real-time across the film 80 megapixel/second camera; 160 megapixel/second output Full 8,192 pixel CCD array for highest optical dpi in the industry Mekel "smoothlight" fiber optic bundle offers balanced lighting across the entire scan area with no hotspots or shadowing 								
Resolution	100-600 true optical dpi								
Film Handling	<ul style="list-style-type: none"> Hands-free automatic loading/unloading or manual loading/unloading Input hopper capacity up to 75 fiche 								
Speed (fully processed)	<table border="0"> <tr> <td>MACH VI</td> <td>MACH VII</td> </tr> <tr> <td>24x/200 dpi – up to 75 ppm</td> <td>24x/200 dpi – up to 150 ppm</td> </tr> <tr> <td>42x/200 dpi – up to 75 ppm</td> <td>42x/200 dpi – up to 150 ppm</td> </tr> <tr> <td>48x/200 dpi – up to 100 ppm</td> <td>48x/200 dpi – up to 200 ppm</td> </tr> </table>	MACH VI	MACH VII	24x/200 dpi – up to 75 ppm	24x/200 dpi – up to 150 ppm	42x/200 dpi – up to 75 ppm	42x/200 dpi – up to 150 ppm	48x/200 dpi – up to 100 ppm	48x/200 dpi – up to 200 ppm
MACH VI	MACH VII								
24x/200 dpi – up to 75 ppm	24x/200 dpi – up to 150 ppm								
42x/200 dpi – up to 75 ppm	42x/200 dpi – up to 150 ppm								
48x/200 dpi – up to 100 ppm	48x/200 dpi – up to 200 ppm								
Fiche Formats	<ul style="list-style-type: none"> Supports all standard fiche types including standard or long jackets; COM; AB Dick; Ultra Fiche and Microx. Images can be 16mm or 35mm; combo 16mm/35mm; simplex or duplex; positive or negative; Diazo; Silver; Vesicular; duplicates; cine/comic mode 								
Hardware Image Enhancement	Real-time image sharpen and enhancement done in hardware; no reduction in throughput								

SOFTWARE FEATURES

Image Processing	<ul style="list-style-type: none"> Continuous automatic scanning Interactive selection of individual images or automatic capture of entire fiche row as an individual image Real-time automatic and manual control of rotation, cropping, deskew and automatic compression of film background density variations Real-time image processing provides 5x the typical processing speed Task set-up by job or saved in set-up file
Frame Detection	<ul style="list-style-type: none"> Single-pass intelligent prescan automatically detects all images regardless of size or location "Presence Prescan" feature allows for faster throughput on COM by automatically detecting and scanning only those frames that contain data
Title Bar/Full-Fiche Imaging	<ul style="list-style-type: none"> Fully- and/or user-definable title bar can be saved along with images scanned from fiche (opaque or translucent) Full-fiche pre-scan image can also be saved along with images scanned from fiche
Viewing/Browsing	<ul style="list-style-type: none"> Full or partial screen in real-time or by thumbnail, emulating fiche layout Real-time dual view of bi-tonal and grayscale images
File Formats	Bi-tonal: TIFF (G3, G4) and PDF (all single/multi) Grayscale: Uncompressed TIFF and JPEG (true 256 shades of gray); PDF (single/multi page) Simultaneous output of grayscale and bi-tonal formats

TECHNICAL SPECIFICATIONS

Dell high-end multi-processor, multi-core workstation ensure maximum uptime and performance. Please request current specs	
Power Requirements	50Hz or 60Hz/100v to 240v AC/800 watt single-phase, switchable for domestic and international use
Operating System	Windows 7, XP or Vista utilizing FastFiche and/or Quantum software by Mekel Technology
Agency Approvals	FCC, UL and CE certification
Dimensions/Weight	33"l x 18"w x 19"h/130 lbs.